

F178CAT

+135°
-30°

PA6
+G.F.

RoHS
COMPLIANT

06

6-lobed handwheels

6-lobed handwheels

Material:

PA6 +G.F.

PA6 +G.F. (RAL 9011).

Accessories:

PA6 +G.F. (RAL 9011).

Material:

PA6 +G.F. (RAL 9011).

Accessories:

(1) PA6 +G.F. (RAL 9011).

(2) PA6 +G.F. (RAL 9011).

Material:

PA6 +G.F. (POM) PA6 +G.F. (AISI 302) PA6 +G.F. (RAL 9011).

Accessories:


PA6 +G.F. (RAL 9011), PA6 +G.F. (RAL 9011).

PA6 +G.F. (RAL 9011), PA6 +G.F. (RAL 9011).

PA6 +G.F. (RAL 9011), PA6 +G.F. (RAL 9011).

PA6 +G.F. (RAL 9011), PA6 +G.F. (RAL 9011).





Art.	Art.	D	H	d	R	c	m	d3	h3	LM	d1 6g	Q	PP(g)
F17830.0003	F17830.TM05X1001CAT	30	22	15	32	11	11	9	1.5	80	M5	10	13
F17830.0005	F17830.TM05X1601CAT	30	22	15	32	11	11	9	1.5	80	M5	16	14
F17830.0009	F17830.TM05X2001CAT	30	22	15	32	11	11	9	1.5	80	M5	20	15
F17830.0013	F17830.TM05X3001CAT	30	22	15	32	11	11	9	1.5	80	M5	30	16
F17830.0016	F17830.TM05X4001CAT	30	22	15	32	11	11	9	1.5	80	M5	40	17
F17830.0020	F17830.TM06X1001CAT	30	22	15	32	11	11	9	1.5	80	M6	10	18
F17830.0024	F17830.TM06X1601CAT	30	22	15	32	11	11	9	1.5	80	M6	16	19
F17830.0031	F17830.TM06X2001CAT	30	22	15	32	11	11	9	1.5	80	M6	20	20
F17830.0038	F17830.TM06X2501CAT	30	22	15	32	11	11	9	1.5	80	M6	25	20,5
F17830.0043	F17830.TM06X3001CAT	30	22	15	32	11	11	9	1.5	80	M6	30	21
F17830.0052	F17830.TM06X4001CAT	30	22	15	32	11	11	9	1.5	80	M6	40	22
F17830.0060	F17830.TM08X1601CAT	30	22	15	32	11	11	9	1.5	80	M8	16	22
F17830.0064	F17830.TM08X2001CAT	30	22	15	32	11	11	9	1.5	80	M8	20	24
F17830.0072	F17830.TM08X3001CAT	30	22	15	32	11	11	9	1.5	80	M8	30	28
F17830.0077	F17830.TM08X4001CAT	30	22	15	32	11	11	9	1.5	80	M8	40	31
F17830.0085	F17830.TM10X2001CAT	30	22	15	32	11	11	9	1.5	80	M10	20	31
F17830.0088	F17830.TM10X3001CAT	30	22	15	32	11	11	9	1.5	80	M10	30	36
F17830.0091	F17830.TM10X4001CAT	30	22	15	32	11	11	9	1.5	80	M10	40	42
F17840.0007	F17840.TM06X1601CAT	40	24.5	17	33	12	12.5	12	1	130	M6	16	28
F17840.0011	F17840.TM06X2001CAT	40	24.5	17	33	12	12.5	12	1	130	M6	20	28
F17840.0017	F17840.TM06X3001CAT	40	24.5	17	33	12	12.5	12	1	130	M6	30	30
F17840.0021	F17840.TM06X4001CAT	40	24.5	17	33	12	12.5	12	1	130	M6	40	31

Art.	D	H	d	R	c	m	d3	h3	LM	d1 6g	Q	??(g)
F17840.0034	40	24.5	17	33	12	12.5	12	1	130	M8	16	31
F17840.0037	40	24.5	17	33	12	12.5	12	1	130	M8	20	33
F17840.0041	40	24.5	17	33	12	12.5	12	1	130	M8	25	34
F17840.0046	40	24.5	17	33	12	12.5	12	1	130	M8	30	36
F17840.0052	40	24.5	17	33	12	12.5	12	1	130	M8	35	37
F17840.0055	40	24.5	17	33	12	12.5	12	1	130	M8	40	39
F17840.0058	40	24.5	17	33	12	12.5	12	1	130	M8	45	41
F17840.0061	40	24.5	17	33	12	12.5	12	1	130	M8	50	42
F17840.0083	40	24.5	17	33	12	12.5	12	1	130	M10	20	40
F17840.0087	40	24.5	17	33	12	12.5	12	1	130	M10	30	44
F17840.0093	40	24.5	17	33	12	12.5	12	1	130	M10	40	48
F17840.0096	40	24.5	17	33	12	12.5	12	1	130	M10	50	52
F17850.0016	50	29	20	35	14	15	14.5	1.5	130	M8	15	51
F17850.0021	50	29	20	35	14	15	14.5	1.5	130	M8	20	52
F17850.0026	50	29	20	35	14	15	14.5	1.5	130	M8	30	55
F17850.0032	50	29	20	35	14	15	14.5	1.5	130	M8	40	58
F17850.0056	50	29	20	35	14	15	14.5	1.5	130	M10	20	58
F17850.0059	50	29	20	35	14	15	14.5	1.5	130	M10	25	60
F17850.0064	50	29	20	35	14	15	14.5	1.5	130	M10	30	63
F17850.0071	50	29	20	35	14	15	14.5	1.5	130	M10	40	64
F17850.0078	50	29	20	35	14	15	14.5	1.5	130	M10	50	67
F17850.0094	50	29	20	35	14	15	14.5	1.5	130	M12	20	66
F17850.0097	50	29	20	35	14	15	14.5	1.5	130	M12	30	70
F17850.0100	50	29	20	35	14	15	14.5	1.5	130	M12	40	75
F17850.0104	50	29	20	35	14	15	14.5	1.5	130	M12	50	80
F17860.0011	60	34	24	38	16	18	18	1.5	130	M8	30	74
F17860.0014	60	34	24	38	16	18	18	1.5	130	M8	40	77
F17860.0025	60	34	24	38	16	18	17,5	1.5	130	M10	20	77
F17860.0033	60	34	24	38	16	18	17,5	1.5	130	M10	30	83
F17860.0039	60	34	24	38	16	18	17,5	1.5	130	M10	40	88
F17860.0042	60	34	24	38	16	18	17,5	1.5	130	M10	50	91
F17860.0056	60	34	24	38	16	18	18	1.5	130	M12	20	98
F17860.0061	60	34	24	38	16	18	18	1.5	130	M12	30	105
F17860.0065	60	34	24	38	16	18	18	1.5	130	M12	40	112
F17860.0069	60	34	24	38	16	18	18	1.5	130	M12	50	119

LM = 22 222 22