

VERTICAL ZAMAK HINGE WITH EXTENSION

Cerniere in zama

Materials:

(1-2) Die-cast zamak alloy (zinc, aluminium and copper alloy).

Surface finish:

Light sandblasting.

Colour:

(01) Black epoxy powder coated (RAL 9011).

(Z) Standard blue galvanising.

Inserts:

(3) Stainless steel hinge pivot pin (Aisi 304).

(4) Natural PA6 spacer bush.

EXTENSION:


The hinge can be supplied with the extension (5) included. In your order add the letter P to the end of the code.


Holes:

Through holes obtained by moulding. 90° countersunk hole for UNI 5933 – UNI 6109 screws.

Special Requests:

It is possible to order, separately, an additional thickness of 6 mm in black using code no. O51160.ZG05.0501; or a galvanised one using code no. O51160.ZG05.05Z.





Black coated version code 01 ending

Code	Art.	lb	IB	A	a	B	b	C	D	I	h	h1	IC	la	d1	Weight (g)
O510054.0001	O510054.ZG05.501	54	34	19,5	14	60	66	19	24	4	5	13	12,5	9	5,3	100

Black coated version code 01 ending + extension (1/2)

Code	Art.	lb	IB	A	a	B	b	C	D	H	I	h	h1	IC	la	h2	d1
O510054.0002	O510054.ZG05.501P	54	34	19,5	14	60	66	19	24	25	4	5	13	12,5	9	6	5,3

Code	Art.	Weight (g)
O510054.0002	O510054.ZG05.501P	111

Galvanised version code Z ending

Code	Art.	lb	IB	A	a	B	b	C	D	I	h	h1	IC	la	d1	Weight (g)
O510054.0003	O510054.ZG05.5Z	54	34	19,5	14	60	66	19	24	4	5	13	12,5	9	5,3	100

Galvanised version code Z ending + extension (1/2)

Code	Art.	lb	IB	A	a	B	b	C	D	H	I	h	h1	IC	la	h2	d1
O510054.0004	O510054.ZG05.5ZP	54	34	19,5	14	60	66	19	24	25	4	5	13	12,5	9	6	5,3

Code	Art.	Weight (g)
O510054.0004	O510054.ZG05.5ZP	111