

O510

UPDATE

+200°
-30°

Zamak

RoHS ✓
COMPLIANT

15

?? ?? ?? (?? ?? ??)

Zamak hinges

??

[illegible]

?? ??

???

??

(01) ??? ?? ? ?(RAL 9011).

(Z) .

???

(3) [REDACTED] (AISI 304).

(4) ?? PA6 [?] [?] [?] [?].

??

 (5) ? ? ? ? ? P ?

UN 5933 – UN 6109 90°


?? ?? ??

6mm

O51160.ZG05.0501[?] [?] [?] [?] [?] [?] [?] [?] [?] [?] [?] [?], [?] [?]

O51160.ZG05.05Z? ? ? ? ? ? ? ? ?





01

	Art.	lb	IB	A	a	B	b	C	D	I	h	h1	IC	la	d1	(g)
O510054.0001	O510054.ZG05.501	54	34	19,5	14	60	66	19	24	4	5	13	12,5	9	5,3	100

01 + (1/2)

	Art.	lb	IB	A	a	B	b	C	D	H	I	h	h1	IC	la	h2	d1
O510054.0002	O510054.ZG05.501P	54	34	19,5	14	60	66	19	24	25	4	5	13	12,5	9	6	5,3

??	Art.	??(g)
O510054.0002	O510054.ZG05.501P	111

?? ?? ?? ?? Z ???

??	Art.	lb	IB	A	a	B	b	C	D	I	h	h1	IC	la	d1	??(g)
O510054.0003	O510054.ZG05.5Z	54	34	19,5	14	60	66	19	24	4	5	13	12,5	9	5,3	100

?? ?? ?? ?? Z ??? + ?? (1/2)

??	Art.	lb	IB	A	a	B	b	C	D	H	I	h	h1	IC	la	h2	d1
O510054.0004	O510054.ZG05.5ZP	54	34	19,5	14	60	66	19	24	25	4	5	13	12,5	9	6	5,3

??	Art.	??(g)
O510054.0004	O510054.ZG05.5ZP	111