

W466

+200°
-40°

C40

AISI
303

RoHS
COMPLIANT

08

W466 (W466)

Metal knurled handwheels

W466:

W466:

W466 PIN:

W466 PIN:

W466 PIN (AISI 303).

W466:

W466 PIN (AISI 303).

W466:

W466:

W466 PIN:

W466 PIN:

W466 PIN:

W466:

W466:

(W46629.SM08B).

W466:

(W46629.SM08Z).

W466:

(W46629.SM08H).


W466:

W466, W466 PIN, W466 PIN d1.





© Copyright
Boteco srl Unipersonale



© Copyright
Boteco srl Unipersonale

W466 - W466

Art.	Art.	d	D	H	m	c	d1 6H	W(g)
W46611.0003	W46611.SM03H	6	11	8	5	3	M3	3
W46615.0003	W46615.SM04H	8	15	10	6	4	M4	7
W46619.0002	W46619.SM05H	10	19	12	8	4	M5	12
W46623.0004	W46623.SM06H	12	23	15	10	5	M6	22.5
W46629.0003	W46629.SM08H	16	29	18	12	6	M8	45
W46635.0003	W46635.SM10H	20	35	23	15	8	M10	87
W46639.0004	W46639.SM12H	22	39	25	15	10	M12	121

W466 PIN - (AISI 303)

	Art.	d	D	H	m	c	d16H	(g)
W46611.0001	W46611.IM03PIN	6	11	8	5	3	M3	3
W46615.0001	W46615.IM04PIN	8	15	10	6	4	M4	7
W46619.0001	W46619.IM05PIN	10	19	12	8	4	M5	12
W46623.0001	W46623.IM06PIN	12	23	15	10	5	M6	22.5
W46629.0001	W46629.IM08PIN	16	29	18	12	6	M8	45
W46635.0001	W46635.IM10PIN	20	35	23	15	8	M10	87
W46639.0002	W46639.IM12PIN	22	39	25	15	10	M12	121