

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**COB-LED Work Lamp I 10 W (BGS 85328)**  
**Article number: 85328**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

See product information.

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

#### Company

BGS technic KG  
Bandwinkerstr. 3  
42929 Wermelskirchen / GERMANY  
Phone +49 (0)2196 72048-0  
Fax +49 (0)2196 72048-20  
Homepage [www.bgs-technic.com](http://www.bgs-technic.com)  
E-mail [mail@bgs-technic.de](mailto:mail@bgs-technic.de)

#### Address enquiries to

#### Technical information

[mail@bgs-technic.de](mailto:mail@bgs-technic.de)

#### Safety Data Sheet

[sdb@chemiebuero.de](mailto:sdb@chemiebuero.de) (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

### 1.4 Emergency telephone number

#### Advisory body

+49 (0)89-19240 (24h) (English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Acute Tox. 3: H301 Toxic if swallowed.  
Skin Corr. 1A: H314 Causes severe skin burns and eye damage.  
Eye Dam. 1: H318 Causes serious eye damage.  
Skin Sens. 1: H317 May cause an allergic skin reaction.  
Carc. 2: H351 Suspected of causing cancer.  
Repr. 1B: H360FD May damage fertility. May damage the unborn child.  
STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure.

### 2.2 Label elements

This product is an article and therefore it does not require labelling according to regulations REACH/CLP.

### 2.3 Other hazards

#### Physico-chemical hazards

When cell is exposed to an external short-circuit, it will cause heat generation and ignition. The chemicals are contained within a sealed housing. There is only a risk of exposure if the battery is subject to mechanical or electrical misuse.

#### Human health dangers

Contains no ingredients with endocrine-disrupting properties.

#### Environmental hazards

Does not contain any PBT or vPvB substances.

#### Other hazards

Further hazards were not determined with the current level of knowledge.

## SECTION 3: Composition / Information on ingredients

### 3.1 Substances

not applicable

### 3.2 Mixtures

The product is an article.

| Range [%] | Substance                                                                              |
|-----------|----------------------------------------------------------------------------------------|
| 15 - 40   | Cobalt lithium dioxide                                                                 |
|           | CAS: 12190-79-3, EINECS/ELINCS: 235-362-0                                              |
|           | GHS/CLP: Repr. 1B: H360FD                                                              |
| 10 - 30   | Lithium hexafluorophosphate                                                            |
|           | CAS: 21324-40-3, EINECS/ELINCS: 244-334-7                                              |
|           | GHS/CLP: Acute Tox. 3: H301 - Skin Corr. 1A: H314 - Eye Dam. 1: H318 - STOT RE 1: H372 |
| 1 - 5     | Nickel                                                                                 |
|           | CAS: 7440-02-0, EINECS/ELINCS: 231-111-4, EU-INDEX: 028-002-00-7                       |
|           | GHS/CLP: Carc. 2: H351 - STOT RE 1: H372 - Skin Sens. 1: H317                          |

Comment on component parts

For full text of H-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Measures are only needed for damaged cells.

#### Inhalation

Remove the victim into fresh air and keep him calm.  
In the event of symptoms seek medical treatment.

#### Skin contact

In case of contact with skin wash off immediately with soap and water.  
Consult a doctor if skin irritation persists.

#### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Consult a doctor immediately.

#### Ingestion

Rinse out mouth and give plenty of water to drink.  
Do not induce vomiting.  
Consult a doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects  
Allergic reactions  
Product is caustic.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.

#### Extinguishing media that must not be used

Full water jet

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Bursting batteries can be forcibly projected from a fire.

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Measures apply only to the damaged product.  
Use personal protective equipment (protective gloves).

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically.  
Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

The data of the manufacturer concerning the loading and unloading parameters and the recommended temperature ranges are to be considered.

Do not eat, drink, smoke or take drugs at work.  
Wash hands before breaks and after work.

### 7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Store in a dry place.  
Protect from heat/overheating.  
Storage: 20 - 30°C

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

| Substance / EC LIMIT VALUES               |
|-------------------------------------------|
| Lithium hexafluorophosphate               |
| CAS: 21324-40-3, EINECS/ELINCS: 244-334-7 |
| Eight hours: 2,5 mg/m³, F                 |

## 8.2 Exposure controls

|                                                                    |                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Additional advice on system design</b>                          | Measures apply only to the damaged product.<br>Ensure adequate ventilation on workstation.                                                                                                                                              |
| <b>Eye protection</b>                                              | safety glasses (EN 166:2001)                                                                                                                                                                                                            |
| <b>Hand protection</b>                                             | 0,7 mm; Butyl rubber, >480 min (EN 374-1/-2/-3).                                                                                                                                                                                        |
| <b>Skin protection</b>                                             | Protective clothing (EN 340)                                                                                                                                                                                                            |
| <b>Other</b>                                                       | Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. |
| <b>Respiratory protection</b>                                      | Short term: combination filter A-P3. (DIN EN 14387)                                                                                                                                                                                     |
| <b>Thermal hazards</b>                                             | none                                                                                                                                                                                                                                    |
| <b>Delimitation and monitoring of the environmental exposition</b> | Protect the environment by applying appropriate control measures to prevent or limit emissions.                                                                                                                                         |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                                      |                           |
|----------------------------------------------------------------------|---------------------------|
| <b>Physical state</b>                                                | solid                     |
| <b>Form</b>                                                          | Battery                   |
| <b>Color</b>                                                         | various                   |
| <b>Odor</b>                                                          | odourless                 |
| <b>Odour threshold</b>                                               | not applicable            |
| <b>pH-value</b>                                                      | not applicable            |
| <b>pH-value [1%]</b>                                                 | not applicable            |
| <b>Boiling point or initial boiling point and boiling range [°C]</b> | not applicable            |
| <b>Flash point [°C]</b>                                              | not applicable            |
| <b>Flammability</b>                                                  | not applicable            |
| <b>Lower explosion limit</b>                                         | not applicable            |
| <b>Upper explosion limit</b>                                         | not applicable            |
| <b>Oxidising properties</b>                                          | no                        |
| <b>Vapour pressure/gas pressure [kPa]</b>                            | not applicable            |
| <b>Density [g/cm³]</b>                                               | not determined            |
| <b>Relative density</b>                                              | not determined            |
| <b>Bulk density [kg/m³]</b>                                          | not applicable            |
| <b>Solubility in water</b>                                           | not applicable            |
| <b>Solubility other solvents</b>                                     | No information available. |
| <b>Partition coefficient n-octanol/water (log value)</b>             | not applicable            |
| <b>Kinematic viscosity</b>                                           | not applicable            |
| <b>Relative vapour density</b>                                       | not applicable            |
| <b>Melting point [°C]</b>                                            | not determined            |
| <b>Auto-ignition temperature [°C]</b>                                | not determined            |
| <b>Decomposition temperature [°C]</b>                                | not determined            |
| <b>Particle characteristics</b>                                      | not applicable            |

### 9.2 Other information

8.14 Wh; 2200 mAh; 3,7 V

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

The product is stable under standard conditions.

### 10.3 Possibility of hazardous reactions

When cell is exposed to an external short-circuit, it will cause heat generation and ignition.

Heating leads to a risk of bursting and of electrolyte fluid escaping.

Avoid mechanical and electrical misuse.

### 10.4 Conditions to avoid

Heating > 70°C

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute oral toxicity**

|                                              |
|----------------------------------------------|
| Product                                      |
| ATE-mix, oral, >50 - 300 mg/kg               |
| Substance                                    |
| Lithium hexafluorophosphate, CAS: 21324-40-3 |
| LD50, oral, Rat, > 50 - 300 mg/kg (Lit.)     |
| ATE, oral, 100 mg/kg (category 3)            |
| Cobalt lithium dioxide, CAS: 12190-79-3      |
| LD50, oral, Rat, > 5000 mg/kg                |
| Nickel, CAS: 7440-02-0                       |
| LD50, oral, Rat, > 9000 mg/kg (IUCLID)       |

**Acute dermal toxicity**

|                                                                                            |
|--------------------------------------------------------------------------------------------|
| Product                                                                                    |
| dermal, Based on the available information, the classification criteria are not fulfilled. |
| Substance                                                                                  |
| Cobalt lithium dioxide, CAS: 12190-79-3                                                    |
| LD50, dermal, Rat, > 2000 mg/kg                                                            |

**Acute inhalational toxicity**

|                                                                                                |
|------------------------------------------------------------------------------------------------|
| Product                                                                                        |
| inhalative, Based on the available information, the classification criteria are not fulfilled. |
| Substance                                                                                      |
| Cobalt lithium dioxide, CAS: 12190-79-3                                                        |
| LC50, inhalativ (dust), Rat, > 5,05 mg/l, 4h                                                   |

**Serious eye damage/irritation**

Risk of serious damage to eyes.  
Based on the available information, the classification criteria are fulfilled.  
Calculation method

|                                              |
|----------------------------------------------|
| Substance                                    |
| Lithium hexafluorophosphate, CAS: 21324-40-3 |
| Eye, Causes serious eye damage.              |

**Skin corrosion/irritation**

Product is caustic.  
Based on the available information, the classification criteria are fulfilled.  
Calculation method

|                                              |
|----------------------------------------------|
| Substance                                    |
| Lithium hexafluorophosphate, CAS: 21324-40-3 |
| dermal, corrosive                            |

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.  
Based on the available information, the classification criteria are fulfilled.  
Calculation method

|           |
|-----------|
| Substance |
|-----------|

Lithium hexafluorophosphate, CAS: 21324-40-3

dermal, non-sensitizing

Nickel, CAS: 7440-02-0

dermal, sensitising

**Specific target organ toxicity — single exposure** Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — repeated exposure** Causes damage to organs through prolonged or repeated exposure.  
Based on the available information, the classification criteria are fulfilled.  
Calculation method

Substance

Lithium hexafluorophosphate, CAS: 21324-40-3

NOAEL, oral, Human, 0,133 mg/kg bw/day, The effects observed are not sufficient for classification.

NOAEC, inhalative, Human, 2 mg/m<sup>3</sup>, The effects observed are not sufficient for classification.

**Mutagenicity** Based on the available information, the classification criteria are not fulfilled.

**Reproduction toxicity** May damage fertility.  
May damage the unborn child.  
Based on the available information, the classification criteria are fulfilled.  
Calculation method

**Carcinogenicity** Suspected of causing cancer.  
Based on the available information, the classification criteria are fulfilled.  
Calculation method

**Aspiration hazard** Based on the available information, the classification criteria are not fulfilled.

**General remarks**

Toxicological data of complete product are not available.  
The classification refers to the ingredients that are not available during normal use of the product.

## 11.2 Information on other hazards

**11.2.1 Endocrine disrupting properties** Contains no ingredients with endocrine-disrupting properties.

**11.2.2 Other information** none

## SECTION 12: Ecological information

### 12.1 Toxicity

Substance

Lithium hexafluorophosphate, CAS: 21324-40-3

EC50, (48h), Daphnia magna, > 100 mg/l (Lit.)

EC50, (72h), Pseudokirchneriella subcapitata, > 100 mg/l (Lit.)

EC50, (3h), Activated sludge, > 1000 mg/l (Lit.)

Nickel, CAS: 7440-02-0

LC50, (96h), Brachidanio rerio, > 100 mg/l (OECD 203)

EC50, (48h), Daphnia magna, > 100 mg/l (OECD 202)

EC50, (48h), Pseudomonas fluorescens, 250 mg/l (Lit.)

IC50, (72h), Selenastrum capricornutum, 100 mg/l (OECD 201)

## 12.2 Persistence and degradability

|                                       |                           |
|---------------------------------------|---------------------------|
| Behaviour in environment compartments | No information available. |
| Behaviour in sewage plant             | No information available. |
| Biological degradability              | not determined            |

## 12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

## 12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

## 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

## 12.7 Other adverse effects

Do not discharge product unmonitored into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

For recycling, consult manufacturer.

Waste no. (recommended) 200134

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150102

## SECTION 14: Transport information

### 14.1 UN number or ID number

Transport by land according to ADR/RID 3481

Inland navigation (ADN) 3481

Marine transport in accordance with IMDG 3481

Air transport in accordance with IATA 3481



#### 14.2 UN proper shipping name

|                                                 |                                                                                                                                                                                                                       |
|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transport by land according to ADR/RID</b>   | Lithium Ion Batteries contained in equipment (Not subject of ADR in accordance to special provisions 188, Lithium-Ion-Batteries are tested according to 38.3 of the 'UN Manual of Tests and Criteria' for compliance) |
| - Classification Code                           | M4                                                                                                                                                                                                                    |
| - ADR LQ                                        | 0 kg                                                                                                                                                                                                                  |
| - ADR 1.1.3.6 (8.6)                             | Transport category (tunnel restriction code) 2 (E)                                                                                                                                                                    |
| <b>Inland navigation (ADN)</b>                  | Lithium Ion Batteries contained in equipment (Not subject of ADR in accordance to special provisions 188, Lithium-Ion-Batteries are tested according to 38.3 of the 'UN Manual of Tests and Criteria' for compliance) |
| - Classification Code                           | M4                                                                                                                                                                                                                    |
| <b>Marine transport in accordance with IMDG</b> | Lithium ion batteries contained in equipment (No dangerous goods, according IMDG Special regulations 188)                                                                                                             |
| - EMS                                           | F-A, S-I                                                                                                                                                                                                              |
| - IMDG LQ                                       | 0 I                                                                                                                                                                                                                   |
| <b>Air transport in accordance with IATA</b>    | Lithium Ion Batteries contained in equipment (PI 967 Part 1)                                                                                                                                                          |
| - Label                                         |                                                                                                                                                                                                                       |

#### 14.3 Transport hazard class(es)

|                                                 |   |
|-------------------------------------------------|---|
| <b>Transport by land according to ADR/RID</b>   | 9 |
| <b>Inland navigation (ADN)</b>                  | 9 |
| <b>Marine transport in accordance with IMDG</b> | 9 |
| <b>Air transport in accordance with IATA</b>    | 9 |

#### 14.4 Packing group

|                                                 |                |
|-------------------------------------------------|----------------|
| <b>Transport by land according to ADR/RID</b>   | not applicable |
| <b>Inland navigation (ADN)</b>                  | not applicable |
| <b>Marine transport in accordance with IMDG</b> | not applicable |
| <b>Air transport in accordance with IATA</b>    | II             |

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

|                                              |                                                                                                                                                                                                                                                                      |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EEC-REGULATIONS                              | 2008/98/EG (2000/532/EC ); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707                                    |
| - Comment on component parts                 | Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.                                                                                                                                                                              |
| - Annex XIV (REACH)                          | According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.                                                                                                              |
| - Annex XVII (REACH)                         | According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 27, 75<br>According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions. |
| TRANSPORT-REGULATIONS                        | ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)                                                                                                                                                                                                             |
| NATIONAL REGULATIONS (EU):                   |                                                                                                                                                                                                                                                                      |
| - Observe employment restrictions for people | no                                                                                                                                                                                                                                                                   |
| - VOC (2010/75/CE)                           | not relevant                                                                                                                                                                                                                                                         |

#### 15.2 Chemical safety assessment

not applicable

### SECTION 16: Other information

#### 16.1 Hazard statements (SECTION 3)

H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.  
H318 Causes serious eye damage.  
H314 Causes severe skin burns and eye damage.  
H301 Toxic if swallowed.  
H360FD May damage fertility. May damage the unborn child.

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV®/TWA = Threshold limit value – time-weighted average  
TLV®STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

### Classification procedure

Acute Tox. 3: H301 Toxic if swallowed. (Calculation method)  
Skin Corr. 1A: H314 Causes severe skin burns and eye damage. (Calculation method)  
Eye Dam. 1: H318 Causes serious eye damage. (Calculation method)  
Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)  
Carc. 2: H351 Suspected of causing cancer. (Calculation method)  
Repr. 1B: H360FD May damage fertility. May damage the unborn child. (Calculation method)  
STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure. (Calculation method)

### Modified position

none

Copyright: Chemiebüro®